


# Geberit Monolith for Floor-standing WC, 101 cm, Front: Stoneware Slate Look, Sides: Black Chrome ALU

£1,660.22 Inc. VAT

Product Code: 131.002.00.5

# **Product Images**



# **Description**

Geberit Monolith for floor-standing WC for floor inlets with an installed height of 101 cm (1010mm). A stylish dual flush, self-supporting concealed cistern that is fully insulated against condensation. The front panel is made of stoneware slate look with brushed aluminium black chrome side profiles.

For connecting Geberit AquaClean Tuma WC complete solution and Geberit AquaClean Enhancement solutions with accessories in front of drywalls or solid walls on finished floors.

## Additional application purposes:

- For floor inlets
- Ideal for renovations, conversions, and new buildings
- For wall inlets with an inlet of height 18 cm
- For floor-standing WCs with P-bend and water inlet height 32-36 cm above the floor (EN33)
- For replacing floor-standing WCs with close-coupled exposed cistern
- For replacing low-level exposed cisterns
- For replacing floor-standing WCs with close-coupled exposed cistern

### **Key benefits:**

- Dual flush
- Adjustable flush volume
- Self-supporting
- Cistern, fully insulated against condensation
- Compensation of dimensional tolerances possible
- Water supply connection in the bottom
- Left/right water supply connections possible with accessories (not included)

#### **Technical details:**

- Front cladding: Stoneware slate look
- Side cladding finish: Black Chrome brushed aluminium
- Height (mm): 1010
- Width (mm): 480
- Depth (mm): 106
- Flow pressure: 0.1-10 bar
- Max. operating water temperature: 25°C
- Flush volume, factory setting: 6 & 3 l
- Flush volume large, adjustment range: 4.5 / 6 l
- Flush volume small: 3 l

## Scope of Delivery:

- Water supply connection set with 2 angle stop valves 1/2"
- Flush bend extension 160 mm
- Connection bend made of PP. ø 90 mm
- Sleeve made of EPDM, ø 44 / 55 mm
- Adaptor socket made of PE-HD, ø 90 / 110 mm
- Fastening material
- Base cover
- Fastening material for drywall

## Manufacturer warranty:

• 2-year manufacture warranty

#### Please note:

- Due to the hygiene reasons, this product is non-returnable
- The colour and structure may vary on natural products
- Geberit will extend the warranty by one year if installed by a registered installation company and if you registered on Geberit website or return the supplied warranty card within 90 working days of the installation

# **Additional Information**

| Manufacturer          | Geberit   |
|-----------------------|---|
| Brand / Model         | Geberit / Monolith  |
| Can Be Combined With  | Geberit AquaClean Tuma Comfort Free-standing WC<br>Complete, Geberit AquaClean Tuma Classic Free-<br>standing WC Complete, Geberit AquaClean WC<br>Enhancement Solutions with Accessories, Conversion<br>Set for Geberit AquaClean WC Enhancement |
| Colour                | Stoneware Slate Look  |
| Frame Size (mm)       | Frame Height: 1010  |
| Technical Info.       | Factory Setting - Small Flush: 3 l, Flush Volume Factory<br>Setting - 6 and 3 l, Flush Volume Large Adjustment<br>Range - 4.5 / 6 l   |
| Waste Outlet Position | Floor   |
| Warranty              | 2 Year Standard   |
| Flush Operation       | Top Dual Push Button Flush  |
| Technologies          | Dual Flush  |