



Independent 4 Life

Opulence LH GD51 Twin Top Bi-fold Stable Doors - 900-1500x900-1200mm (Left Hand)


£1,501.20 Inc. VAT

Product Code: GD51-LH

Product Images





Internal door handles



Towel rail & handles







Product Options

Tray Size (mm)	Price Inc. VAT
900x900	£1,501.20
1000x1000	£1,531.20
1100x900	£1,760.40
1200x900	£1,784.40
1200x1000	£1,815.60
1200x1200	£1,852.80
1400x900	£1,862.40
1500x1000	£1,902.00

Additional Options

Opulence Chrome Towel Rail	Towel Rail	£0.00
Wall profile compensator	Coved profile - Vinyl safety flooring	£0.00
	Square profile - Tiled floors & shower trays	£0.00

Description

The GD51-LH are corner full height right handed bi-folding stable shower doors from the AKW / Contour Showers Opulence range.

This style of shower door is ideal for multi-generational living and is suited for use by everyone. The 850mm high bottom door panel projects above standard height sanitary ware.

Top bi-fold stable door opens outwards to allow access if assisted showering is required, leaving the bottom door section closed to retain water from the shower.

The door handles can be used to open outward the whole door or by simply rotating them, the top bi-folding door can be opened independently if assisted showering is required.

Opening and closing the full height Opulence glass corner enclosure is trouble-free using the easy grip internal and external handles. With effortless opening and closing action provided by the 180° rise & fall, chrome plated, solid brass door hinges.

Small internal handle with integrated finger channels for easy use.

Glazed fixed panels of 8mm thick toughened safety glass and door sections of 6mm thick toughened safety glass sections with Easy Clean glass coating. The GD51-LH is available unhandled 900x900 and 1000x1000mm and in a choice of left handed sizes, supplied with square profiles for shower trays / tiled floors or coved wall profiles for vinyl flooring.

Key benefits:

- 1900mm high left-hand corner twin top bi-fold stable doors, attached to glass hinged fixed panels at the wall
- Split height allows the top panels to be opened outwards independently for assisted showering
- The fixed wall panel helps to avoid sanitary ware
- 850mm high bottom door panel projects above standard height sanitary ware
- Fixed hinge panels: 8mm thick - CE approved toughened clear safety glass
- Door panels: 6mm thick - CE approved toughened clear safety glass
- Easy Clean glass coating - designed to reduce staining and help keep the enclosure looking new
- 180° rise and fall hinges - allow the doors to open smoothly but seal tightly
- Easy grip internal and external door handles
- 45° fixed glass panel corner tie back bars ensure a rigid installation
- Unique, chrome towel rail connects located on the bottom door panel
- Aluminium, satin chrome polished wall profiles, with 45mm adjustment
- Chromed brass hinges, wall brackets and door furniture
- Watertight magnetic door seals
- Easy Clean glass coating - designed to reduce staining and help keep the enclosure looking new
- Choice of coved profile to accommodate vinyl flooring or square profile for tiled floors and shower trays
- Compatible with showers trays and wet room floor formers with a 40mm flat perimeter
- Unhandled, Left-handed - Choice of size

Split height panels:

- Total height of enclosure (mm): 1900
- Height of bottom panels (mm): 850
- Height of upper panels (mm): 1050

1920mm high wall profile options:

- Square edge compensator for shower trays and tiled wet room floors
- Curved edge compensator coved vinyl safety sheet flooring

Warranty:

- Manufacturer lifetime guarantee, with 12 months for rubber seals

Please note:

- The Shower Tray, shown in the main image is not included
- Due to the nature of all glass shower doors, we cannot guarantee they are 100% watertight
- Power showers are not recommended for use with Opulence shower doors

Manufacturer product codes:

- Left hand: GD51-11x90-01LH, GD51-12x90-01LH, GD51-12x10-01LH, GD51-12x12-01LH, GD51-14x90-01LH, GD51-15x10-01LH
- Unhandled: GD51-90x90-01, GD51-10x10-01

Additional Information

Manufacturer	AKW / Contour
Height (mm)	1900
Shape	Corner
For Installation On	Trays / Vinyl or Tiled Floors
Glass Thickness (mm)	6 and 8
Glazing	Clear - Toughened Safety Glass (TSG)
Finish	Satin Chrome Polished