

,152.40

.398.40

| Renaissance Excel 600 | From: | £9, £9, |
|-------------------------|-----------------|------------|
| Height ADJ Bath | To: Inc. VAT | 19, |
| 1700x750mm, PWR Swing | | |
| Seat, Taps, CAT 5 SHWR, | | |
| Nursing Arms & Hoist | | |
| | | |

Product Code: EXCEL600-Comp

1

Panels - End Waste

Product Images









Pair of Lever Bath Taps



TMV3 Underbath Valve

Size / Seat Swing Handing / Front Panel / Waste



The Renaissance Excel 600 bath with 340mm of height adjustment, allows users to access the bath with the powered lifting seat, while allowing carers to assist and wash client users at a comfortable working height. Left hand powered lifting/swing seat. Electric operation with battery backup. 1700x750mm with an end waste. Includes hoist access and end panels, nursing arms with a lap belt for the seat, pair of fitted and pre-plumbed bath filler taps with an under bath TMV3 valve and a TMV3 Shower System that is CAT5 Fluid Safe with a Shepherd's Crook. Max load: 24st / 150kg. Manufactured in the UK. In stock with a 7-day lead time. Free site visit and demonstration available and installation service on a quotation basis - Please contact us for more information. £7,482.00

£7,482.00

1700x750mm, RH, Hoist Panels & End Waste

1700x750mm, LH - Hoist Panels & End Waste

The Renaissance Excel 600 bath with 340mm of height adjustment, allows users to access the bath with the powered lifting seat, while allowing carers to assist and wash client users at a comfortable working height. Right hand powered lifting/swing seat. Electric operation with battery backup. 1700x750mm with an end waste. Includes hoist access and end panels, nursing arms with a lap belt for the seat, pair of fitted and pre-plumbed bath filler taps with an under bath TMV3 valve and a TMV3 Shower System that is CAT5 Fluid Safe with a Shepherd's Crook. Max load: 24st / 150kg. Manufactured in the UK. In stock with a 7-day lead time. Free site visit and demonstration available and installation service on a quotation basis - Please contact us for more information.

Optional - Commissioning



Delivery - UK Mainland

AISSAN

LOLER Power Bath Commissioning

Select this option to have your bath commissioned by a Renaissance installer. (Excludes installation). A highly recommended service for all powered Renaissance baths. The LOLER inspection ensures safe use of the bath and for the manufacturer warranty. £150.00

| THE PRINT OF THE BATTLE | Standard 1x Person Curb-side Delivery UK Mainland - Standard One Man bath Delivery, for Curb side delivery only. | £145.00 |
|--------------------------|---|---------|
| THE PRINCE OF THE BATTLE | 2x Person Delivery to a Ground Floor Bathroom UK Mainland - Two Man Delivery to Ground Floor Bathroom (Excel Baths - Delivery) | £200.00 |

Description

The Renaissance Excel 600 is a height adjustable bath for use in nursing situations or where particular care is required.

The electrically operated bath rises smoothly and quietly once the seat has been gently powered into the bath by the hand control.

Free site visit and demonstration available - please contact us

Key benefits:

- 340mm Height adjustable bath with powered swing seat
- Electrically operated with battery backup for client evacuation, in the event of power failure
- Seat has a removable insert to ease cleaning
- 1700x750mm left or right hand swing seat
- End Chrome pop-up waste, located at the opposing end of seat
- Includes all panels: 2x hoist access side panels, 2x end panels
- Bath height Low / High lifting range (mm): 720 to 1060
- Bath height in raised position (mm): 1060

www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711

EORI GB942447711000

- Bath height in lowered position (mm): 720
- Seat height (out of bath) in raised position (mm): 863
- Seat height (out of bath) in lowered position (mm): 473
- Front panel cut-out for hoist access (mm): 1030 L x 150 H
- Safe-working Load 24st / 150kg
- Acrylic bath shell, manufactured in the UK, CE compliant

Handset had 4 simple control buttons:

- Easy to use
- The "Seat in" button lifts the seat up, swings it over and then lowers it into the bath
- The "Bath up" button raises the bath to a comfortable height
- The "Bath down" button lowers the bath after bathing
- The "Seat out" does the reverse lifts the seat up out of the bath, swings it over the side and then lowers on the outside of the bath
- The seat can be stopped at any point by simply taking your finger off the button

Safety Feature

- If the mains power is lost at any time, an alarm will sound if the handset is in use
- The bath will then simply lower and the seat will lift out of the bath and come to a stop once it has reached its lowest point outside the bath
- Neither the seat nor the bath will move again until the mains electric has been restored

Standard equipment - Supplied fitted and plumbed:

- Pair of Lever Taps with Underbath TMV3 Valve WRAS approved
- TMV3 Shower System CAT5 Fluid Safe (Shepherd's Crook) is the necessary choice in multi-user situations for commercial installations i.e. care homes
- Nursing Arms improves comfort by allowing bather to rest arms
- Lap Belt for securing bather in the seat

Delivery:

- Standard delivery one man delivering to curbside
- Two man delivery delivery to ground floor bathroom
- Please contact us if the intended location of the bath is beyond the ground floor or is difficult to access

Commissioning:

- Commissioning by Renaissance ensures correct installation and training on safe use of the bath
- This is optional for domestic installations, but is essential for commercial properties to maintain LOLER compliance

Electrical requirements:

- 230V AC supply requires a 30mA RDC with a 4A waterproof switched fused spur (not supplied)
- Supplied with a standard UK 3 pin plug for testing and setting up purposes, this must be removed and wired to your 4A waterproof fused spur
- Backup battery requires a continuous power supply to maintain the batteries condition
- All electrical installations should be performed by a qualified electrician

Warranty:

- Mechanical and electronic components have a full 12 month warranty
- Bath shell has a 25 year manufacturer guarantee against material and manufacturing defects

Manufacturer product codes:

Additional Information

| Manufacturer | Renaissance Baths |
|--------------|---|
| Model | Excel 600 |
| Length (mm) | 1700 |
| Width (mm) | 750 |
| Technologies | 12 Jet, Three Speed, Air Spa System, Still Water, Bluetooth Sound System, Chromotherapy 2x Lights, Height Adjustable Bath, Lifting & Rotating Seat, Taps & Showers, Hoist Access Panels, Lap Belt, Nursing Armrests |
| Bath Seat | Yes |