




Independent 4 Life




£2,656.08 Inc. VAT




AKW Bidet Pack 3 Wall- hung Bidet, Geberit Concealed Frame / Cistern, Chrome Kappa Flush Plate - OPT Ext. 3 to 5 Year Warranty

Product Code: 28413

Product Images







Additional Options

Optional Extended Warranty		
	AKW 1-year Warranty Extension	£139.39
	AKW 2-year Warranty Extension	£278.80
	AKW 3-year Warranty Extension	£418.19

Description

AKW electronic bidet toilet seat, wall hung wc pan with a Geberit Duo fix frame and a Geberit Kappa 20 flush plate. The bidet provides maximum comfort and cleaning for both male and female users, with adjustable warm water washing and warm air drying.

Carers can assist users and maintain their privacy and dignity in the bathroom with the remote control by allowing use by carer outside the bathroom. The built-in night light makes finding and using the bidet easier.

The AKW Consilio bidet seat is designed and compatible with the Navlin range of sanitaryware. Comes with a wall-hung pan, Geberit Duo fix concealed and cistern with the Geberit Kappa 20 flush plate. The bidet measures (LxW) 520x370mm overall, 453 (+/- 31mm) installation depth with 160 (+/- 20mm) adjustable hinges.

The bidets adjustable spray has 4x spray modes - Steady, Pulsating, Oscillating & Pulsating, 5x posterior wash positions, feminine wash and 5x spray intensity settings using 0.6 to 1L per minute. 1-2 minute wash cycles with 3 minute drying cycle.

Key benefits:

- Minimalist design
- Rounded edges and corners reduce risk of injury
- Concealed frame and intergrated cistern allows for pipework to remain hidden
- Tested to a safe working load of 150kg / 23.5 stone
- Quick Release Seat and Lid - Easier cleaning and maintenance
- Seat lugs - Provide stability when side transferring from a wheelchair
- Integral seat sensor - Ensures activation only occurs when the seat is in use
- Note: This Bidet seat is not compatible with mobile shower chairs
- Lid and seat lift assist with soft close - Moulded front grips on the lid with contrasting side tables for easy lifting, helps those with limited hand dexterity
- Quieter and soft closing lid
- Easy to clean - Very little maintenance required throughout the bidet's lifetime
- Night light - Helps users with sight loss or dementia locate the toilet in the dark/dimly lit conditions
- Fixed seat controls - Air dry, Rear wash, Female wash, Power light/LED fault indication, and Night detector
- Remote control provides users with full function control via an easy to use, ergonomic handheld remote, and allows for user dignity
- Integral seat sensor - Prevents accidental usage by ensuring activation only occurs when the seat is in use
- Designed for use and compatible with the Navlin range of sanitaryware
- Low pressure mode can be selected to allow the bidet to continue working efficiently if the supplying water pressure drops
- Self-cleaning function - Pre and post wash nozzle cleaning and automatic water purge if not used for 72 hours, ensures the nozzle and surrounding area are hygienic
- Quiet and efficient operation - Low noise heater, water pump, and dryer motor
- Pressure flows are optimised for efficient and continuous cleaning
- Promotes user dignity whilst providing a reliable experience
- Adjustable settings - Temperature controlled water and dryer settings - Allow the user to tailor the bidet to meet their specific comfort and cleaning requirements
- Automatic shut down saves energy
- Compliant with BS EN 60335-1

Programmable features:

- Temperature controlled water
- High power, 1750w instantaneous water heater
- 2-minute constant wash cycle
- 1-minute gradual cooling wash cycle
- 6x stage temperature control (approx. 31-39°C)
- Side entry water supply, supplied with a Flexible 1/2"x 1/2" water pipe

Spray control:

- 5x rear wash positions
- Feminine wash
- 5x spray intensity settings (approx. 0.6L-1L per minute)
- 1-2 minute wash cycles
- 4x spray modes - Steady, Pulsating, Oscillating, Pulsating

Dryer settings:

- 350W dryer
- 3-minute standard drying cycle
- 6x temperature settings (40-52°C approx.)
- 5x adjustable speed settings

Self-cleaning:

- Pre and post wash nozzle cleaning
- Automatic water purge, if not used for 72 hours

Quiet operation and efficient:

- Low noise heater, water pump and dryer motor
- Pressure and flow optimised for efficient and continuous cleaning

Sizes - see dimension picture for more information::

- Length overall (mm): 520
- Width overall (mm): 370
- Width of seat (mm): 354
- Aperture of seat (L x W) (mm): 289 x 212
- Seat height (excl. back of unit and seat cover/lid) (mm): 30
- Rear height (mm): 106

Water connection:

- For direct connection to the water supply
- To be plumbed into the water supply feeding the toilet cistern (using the flexible hose and T junction, filter and Isolating valve supplied)
- Water back flow prevention measures built-in (air gap solution)

Standard water pressure mode:

- Requires 0.5 (dynamic) - 8.0 (static) bar of pressure with 0.6L-1L flow rates per minute
- The water is instantaneously heated with no restart time required

Low water pressure mode:

- Requires 0.2 (dynamic) - 8.0 (static) bar of pressure with 0.45L-0.65L flow rates per minute
- Maximum 25 second restart period

Electrical installation:

www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711

EORI GB942447711000

- Supplied with approx. 1500mm power cord, that should be wired directly to a switched fused spur and RCD to your electrical supply
- Suitable for use in the bathroom
- Rated voltage: AC230V, 50Hz
- Power rating: 1750W
- IPX4 rated
- A qualified electrician should install the fused spur for the Bidet in accordance with the Building Regulation Part P
- Remote control requires 2x 1.5v IR03 AAA (Batteries not supplied)

Warranty:

- 2-year manufacturer warranty
- Select if required to extend up to 5 years
- Note: The contract is with managed and undertaken by AKW

Please note:

- To REDUCE THE RISK of fire, Electric Shock, or Injury: Installation of this Bidet must be carried out in accordance with the instructions by a competent and experienced installer
- The supplier shall not be liable for any loss arising from the failure to comply with the PDF downloadable installation instructions

Returns: Please note:

- Due health and hygiene and infection control this product is non-returnable

Additional Information

Manufacturer	AKW / Contour
Brand / Model	AKW / Consilio Bidet Seat
Can Be Combined With	Pre-wall Mounting Frames
Colour	White
Frame Size (mm)	Frame Height 820
Style / Type	Pre-wall Frame - Bidet
Max. Load (kg / St)	150 / 23.5
Waste Outlet Position	Wall - Rear
Warranty	2 Year Standard, Paid Upgrade 1 - 3 Years
Flush Operation	Front Actuator, Fixed Side Control Buttons
Technologies	Seat Sensor, Temperature Adjustable, 5 Rear Wash Positions, Rear Washing, Lady Shower, Warm Air Dryer, Remote Control, Quick-release Seat & Lid, Soft-close Seat & Lid, 1-2 Minute Wash Cycles, 5 Spray Intensity Settings, 4 Spray Modes: Steady, Pulsating, Oscillating, Pulsating & Oscillating, Self-cleaning Function, 5 Dryer Intensity Settings
Approvals	UKCA Mark, CE Mark