






Independent 4 Life



# Granberg Wall Mounted Manual Sink Module 6380-ES11 - Left, Choice of Widths 790-1590mm



£3,572.40 Inc. VAT

Product Code: 6380-ES11-L

## Product Images







## Product Options

---

Frame Width (mm)	Price Inc. VAT
790	£3,572.40
990	£3,666.00
1190	£4,207.20
1390	£4,299.60
1590	£4,394.40

## Additional Options

---

<b>Optional - Granberg mixer tap, with 500mm flexible water hoses &amp; Tap hole cutter</b>	Incl. dishwasher shut off (Not WRAS approved)	£482.40
	Without dishwasher shut off (Not WRAS approved)	£482.40

## Description

---

Granberg's Sink Module 6380-ES11L wall mounted with 300mm height adjustment by manual gas strut legs, in 25mm increments. 30mm White laminate worktop. This wall mounted manual worktop lift features a left hand ES11 under-glued inset shallow 120mm depth kitchen sink bowl with overflow and insulated underside to prevent scalding and burns to the user.

Choice of optional Granberg FM Mattsson kitchen monobloc mixer taps, 190mm easy to reach lever with a swivel spout - with or without dishwasher cut-off valve.

For occasional height adjustments. Height adjustable range of 300mm, in increments of 25mm. The built-in gas spring in the support legs facilitates height adjustment, with a locking pin.

Compatible with any kitchen manufacturer this complete manual worktop lifting system is easy and quick to install.

The modules are manufactured 10mm shorter in width, to allow for a 5mm clearance gap at both ends for safe movement, ideal for the direct replacement of 800 to 1600mm width cabinets. The module has a reduced depth of 15mm to accommodate splashbacks and wall tiles.

Electric floor standing systems or Manual wall mounted variations are also available.

### Key benefits:

- Left hand kitchen sink module with 300mm manual height adjustment, 700-1000mm above floor, plus the 30mm worktop

- Worktop décor - K1040 Un 30mm White Laminate finished with a brushed aluminium rear edge trim
  - Built-in gas spring in the support legs facilitates height adjustment, with a locking pin
  - Pull out the locking pin, adjust the height in 25mm increments with the help of the gas spring. Lock the position with the locking pin
  - The wall mounted legs are concealed by 2x matt white sliding cover panels with 2x dark grey coloured steel end plates
  - Tilt able worktop plane for adjustment
  - Full extension drawers can be added, as a factory fitted option - (Contact us if required)
  - Range of widths 790, 990, 1190, 1390 and 1590mm to suit standard kitchen base unit spaces: 800, 1000, 1200, 1400 and 1600mm
  - The modules are 10mm shorter in width to allow for a 5mm gap both sides of the unit for the up/down movement
  - Adjustable depth 576-606mm including the Alu. front to suit adjoining cabinets and worktops
  - 100mm free space below the foot of each leg for services
  - Quick solution, top frame supplied pre-assembled for fast site installation
  - White Powder Coated RAL 9003 aluminium 103mm fascia front with plastic end caps
  - Left hand mounted ES11 insulated single bowl kitchen sink with overflow. Inset and under-glued into the worktop
  - Optional Granberg FM Mattsson (FMM) kitchen monobloc mixer tap with 190mm easy reach lever and swivel spout that can be adjusted to 60°, 85°, 110°, 360° or fixed
  - Pair of flexible Water Hoses 2-pack, 3/8", length 500mm with Tap connectors for FMM taps
- Optional choice of tap style:**
- - 60210 FMM Inc. dishwasher shut off valve (Not WRAS approved)
  - - 60211 FMM Excl. dishwasher shut off valve (Not WRAS approved)
  - All components available separately

**Sink Module 6380-ES11 Left includes:**

- Wall mounted Manulift 6380 with 2x legs
- Built-in gas spring in the support legs facilitates height adjustment, with a locking pin
- 2x 12mm matt white melamine cover panels hide service installations under the worktop
- White aluminium front fascia
- Worktop décor - K1040 Un 30mm White Laminate
- Brushed aluminium rear edge strip
- Left hand mounted - ES11 under-glued inset 120mm depth sink, insulated bowl, overflow, shallow trap, strainer waste and a flexible drain hose
- Optional choice of Granberg FMM Mixer tap with long lever with or without dishwasher cut-off valve, and flexible water hoses
- Note: Tap hole undrilled - Tap hole cutter included, with FMM taps

**Recommended accessories:**

- Full extension, push-to-open integrated drawers
- Cutlery trays
- Mini cabinet on wheels
- FMM long lever kitchen mixer taps, tap hole cutter and flexible hoses

**Technical details:**

- Occasional height adjustment: Manually adjustable by 300mm (700 - 1000mm excl. worktop) in 25mm increments
- Built-in gas spring in the support legs facilitates height adjustment, with a locking pin
- Pull out the locking pin, adjust the height in 25mm increments with the help of the gas spring. Lock the

position with the locking pin

- Max. distributed load / Lifting force: 100kg (220lbs)
- Frame depth: 576 - 606mm from the wall (Incl. front)
- Tilt able worktop plane for adjustment
- Front height: 103mm
- All fittings for assembly supplied, wall fixings not included
- Space to adjoining wall / cabinet side (mm): 5
- Space to wall (for tiles): 15mm
- Tiling: From 700 mm above the floor (alternatively tile down to floor level)
- Worktop frame Material: Aluminium frame
- ES11 sink: 496mm width x 500mm depth
- Bowl size: 400mm width x 340mm depth x 120mm deep
- Plate thickness: 0.8 mm, brushed stainless steel
- Shallow trap, strainer waste and a flexible waste kit

**Warranty:**

- 2 year manufacturer warranty

**Please note:**

- Due to the custom nature of this product, it is made-to-order and is therefore non-returnable
- The Tap hole is not pre-drilled
- The cover panels must be removed to allow for height adjustments to be made

## Additional Information

---

Manufacturer	Granberg
Mounting / Model	Wall / Sink Module
Max. Load (kg / St)	100 / 15.7
Method of Operation	Manual - Gas Strut Legs
Height Adjustment (mm)	300
Mounting	Wall Mounted