




Independent 4 Life

AKW Braddan Surface Mounted SHWR Tray, w/ Upward Pumped Waste - Choice of Size, OPT Ramps

£482.40 Inc. VAT


Product Code: BRADDAN-UPW

Product Images





Braddan Shower Tray: Concrete Floor Installation

Braddan installed on concrete floor. Features the AKW Standard Shower Pumped Waste, alternatively, the factory fitted AKW Upward Discharge Waste can be specified. Ramp available (08mm).



Braddan Shower Tray: Screeded Floor Installation

Braddan installed in a screed on concrete beams or solid concrete using an AKW M11 DigiPump with a factory fitted AKW Upward discharge waste.




SMC Tray

Sheet molding compound (SMC) is a high-strength composite material comprising primarily a thermosetting resin, filler(s), and fiber reinforcement.




GRP Tray

Glass reinforced plastic (GRP) is made of synthetic resin as main basic material and glass fiber or other product as reinforced material, processed into a solid material by molding and setting.



Braddan Cut-to-Length Kit


Cut-to-Length kit included with 1800x700mm SMC 1800 x 700 Trim-to-length Braddan trays are manufactured from SMC, supplied with a separate end cap. If the tray needs to be reduced in size to fit into an alcove the end cap then needs to be sealed to the cut end prior to the tiling flange being fitted.




Braddan Cut-to-Length Kit

1800 x 820 Trim-to-length Braddan trays are manufactured from GRP.

Supplied with trim-to-length kit comprising two lengths of aluminium extrusion. The first piece is secured to the underside of the cut end of the tray. This is then secured section is then secured over the first and sealed on top of top of the tray prior to tiling to provide a water tight seal.





Product Options

Tray Size (mm)	Price Inc. VAT
800x800	£482.40
820x820	£482.40
900x900	£482.40
1000x700	£482.40
1000x800	£482.40
1000x1000	£482.40
1200x650	£482.40
1200x700	£482.40
1200x760	£496.80
1200x820	£511.20
1200x900	£511.20
1300x700	£482.40
1300x820	£511.20
1400x900	£540.00
1420x700	£507.60
1420x820	£540.00
1500x700	£512.40
1500x820	£542.40
1600x700	£530.40
1700x700	£548.40
1800x700	£548.40
1800x820	£583.20
1800x900	£583.20

Additional Options

AKW Code / Optional aluminium ramp kits (per Tray)	25000 / 20mm Straight Ramp (length 1800mm)	£28.89
	25001 / 20mm Corner Ramp (900x900mm tray only)	£28.89
	25002 / 40mm Straight Ramp (length 1800mm)	£45.59
	25003 / 40mm Corner Ramp (900x900mm tray only)	£45.59

Description

The AKW Braddan shower tray is available in a large range of sizes and offers easy installation. The tray is 40mm thick and can be installed in a corner or alcove and is suitable for unbreachable floors because of the upward pumped waste, surface-mounted.

The trays are unhandled with a centre waste outlet the upward pumped waste is included.

The 1800mm long trays are supplied with a 'trim to length' kit, allowing up to 300mm to be cut off. Note: trimmed trays are only suitable for alcove installations, not corners.

Create the perfect shower room with the addition of a compatible AKW shower enclosure or door set from the Larenco, Level Best, Silverdale® and Standard Screens ranges.

Key benefits:

- Suitable for use on unbreachable floors
- Can be installed as a surface-mounted step-in shower enclosure (order shower doors or screen separately)
- The tray creates a visually defined showering area useful for those with visual impairment
- Slip resistance textured surface a safer showering experience for the user
- Excellent water drainage with a 35mm fall inside the tray
- 40mm thick multi-purpose tray
- Integral added strength for extra peace of mind
- No under tray foaming is needed for quick and easy installation
- Weight limit: 30 stone/190kg
- Non-handed shower trays for both left or right-handed installations
- Upward pumped waste included
- 1800mm trays can be cut down to 1500mm and supplied with a trim to length kit
- Three separate tiling upstands supplied. Ensures a watertight seal between tray and tiles and secure fitting of tray
- Pipe duct kits available to avoid the re-routing of existing pipework (order separately)
- Optional ramps: 20mm and 40mm straight and corner ramp kits are available - Provides easy access for semi-recessed and surface mounted installations

Waste:

- Upward pumped waste included

Technical details:

- Tray height: 40mm
- Material composition:
 - - GRP (Glass-reinforced plastic) all trays except:
 - - SMC (sheet moulded compound) 1200x700; 1200x820; 1300x700; 1420x700; 1700x700 & 1800x700mm
- Weight limit: 30 stone/190kg
- Fall to Waste: 35mm
- Supplied with Pumped upward waste (pump not included)
- To be used in conjunction with a AKW Digi-pump shower waste pump (not included)
- Screen Compatibility: Larenco, Level Best, Silverdale® and Standard Screens

Optional - Aluminium Ramp Kits:

- Product Code: 25000 - 20mm Straight Ramp (length 1800mm)
- Product Code: 25001 - 20mm Corner Ramp (for 900x900mm tray)
- Product Code: 25002 - 40mm Straight Ramp (length 1800mm)
- Product Code: 25003 - 40mm Corner Ramp (for 900x900mm tray)
- Product Code: 25012 - 20 or 40mm Corners Made-to-Measure (Order separately)

Warranty:

- Lifetime Warranty (please refer to AKW's terms and conditions)

Manufacturer Product Codes:

- Tray with Upward Pump Waste code: 16523, 16471, 16473, 16083, 16529, 16168, 16197, 16361, 16090, 16175, 16135, 16521, 16100, 16141, 16082, 16109, 16150, 16496, 16532, 16443, 16121, 16129, 16161, 16120

Additional Information

Manufacturer	AKW / Contour
Brand / Model	AKW - Braddan
Cut to Length Range (mm)	1500-1850
Tray Size (mm)	800x800, 820x820, 900x900, 1000x700, 1000x800, 1000x1000, 1200x650, 1200x700, 1200x760, 1200x820, 1200x900, 1300x700, 1300x820, 1400x900, 1420x700, 1420x820, 1500x700, 1500x820, 1600x700, 1700x700, 1800x700, 1800x820, 1800x900
Handing	Unhanded
Entry Configuration	Front Entry (Alcove), Corner Entry
Step-in Height (mm)	Level Access - 0, Semi-recessed - 20, Low Level Step-in - 40
Thickness of Tray (mm)	40
Waste Compatibility	Pumped Waste
Tray Edge for Floor Finish	Not Applicable
Ramp or Step Available	Ramp