




Independent 4 Life


# Ropox A-400 SS Inset Shallow Bowl Insulated Sink - Overall Size 460x400 - 100mm Depth


£438.91 Inc. VAT

Product Code: 30-45008

## Product Images







## Description

100mm depth Ropox shallow bowl kitchen sink, supplied with a separate self-adhesive insulation pad for the underside of the sink, to prevent scalding and burns.

The insulated underside makes the sink suitable for installation in a height adjustable work surface, preventing scalding when used by wheelchair or seated users.

This version of the Ropox sink has a depth of 100mm - a 135mm deep version is also available (Product Code: 30-45007).

### Key benefits:

- 100mm deep inset shallow bowl kitchen sink
- Heat resistant at very high temperatures
- Heat insulation pad supplied loose for site fitting if required
- Stainless steel (AISI 304), chrome and nickel
- 100% recyclable material
- Polished surfaces that are easy to clean, hygienic
- Slotted sink waste and overflow pipe included
- Suitable for installation in height adjustable worktops
- Suitable for domestic and commercial installations
- Plug and chain set included

### Technical details:

- For inset installation
- Unhanded
- Outside dimensions (mm): 460 x 400
- Bowl size (mm): 400 x 340
- Bowl depth (mm): 100
- Cut out size (mm): 435 x 375

- Radius in the corners (mm): R80
- Material thickness (mm): 0.8
- Material: Stainless steel EN 1.4301, AISI 304, SS2333
- Quality stainless steel, that is very resistant towards stains, rust and corrosion
- Matt finish

**Maintenance:**

- Discoloration on the stainless steel is typical caused by extreme “attacks” on the surface and not from the steel itself
- If the spots cannot be removed with regular cleaning, they can be easily removed with a soft scouring sponge
- Note - Never use a steel wool sponge

**Warranty:**

- 1 year manufacturer warranty

**Please note:**

- The sink bowl does not have a tap hole, worktop mounted taps will be required (please order separately).
- If used with a height adjustable worktop lift, a 40mm Flexible Plumbing Kit will be required (please order separately).

## Additional Information

---

Manufacturer	Ropox
For Cabinet Size (mm)	500
Heat Insulated	Yes - Supplied (Self Fit)
Bowl Depth (mm)	100
Sink Installation	Inset