




Independent 4 Life

Contour WF12 White Shower Enclosure, PET Glazing - Max. A 1800 / B 1500mm

Product Code: CONT-WF12-WHT

Product Images





Standard Click hinge
(Inward opening door shown)



360° hinge system to enables bi-fold doors to fold into or out of the shower area, ideal for small bathrooms.





Magnetic door
closing.
Luxe with PET
glazing shown

Additional Options

Step 1) Enter A - Total width of fixed panel and first bi-folding doors (Max. 1800mm)

Step 2) Enter total width of fixed panel, within A (Min. 250mm)

Step 3) Enter B - Total width of second bi-folding doors (Max. 1500mm)

Step 4) Select your screen height (mm) 750

900

Step 5) Select your handing Right Hand

Left Hand

Step 6) Select your bi-folding hinge type Inwards folding click hinge - doors fold into the enclosure

Outwards folding click hinge - doors fold out from the enclosure

360° Hinge - doors fold both inwards and outwards

Step 7) How is it being installed? On a Wet Room Floor Former with vinyl safety flooring

On a Shower Tray or Square edge floor tiles

Step 8) Would you like to extend the White vertical pole to the ceiling? Yes

No

Step 9) Select your handle / latch colour Light Grey

Description

Contour made-to-measure half height shower enclosure.

Corner access twin bi-folding doors, with a fixed panel and vertical support pole/grabrail.

With a modern appearance and a range of features, these doors are ideal for any wet room or shower tray adaptation.

Includes:

- Complete WF12 white shower enclosure with PET glazing
- Shower curtain - 2000mm drop, white, weighted
- Continuous aluminium curtain rail, powder coated in white finish

Features and benefits:

- High quality aluminium doors and frames
- High integrity door and glazing seals
- Magnetic door closing
- Rise and fall hinges – lifts doors by at least 10mm when opened
- Support pole - standard height 2085mm from base to top of pole / shower curtain rail
- Easy grip 'D' handles
- Manufactured in the UK from components that are 100% recyclable
- Manufactured from grade 6063 aluminium and powder coated to white RAL 11910
- Doors and hinges tested to 20,000 opening and closing cycles with no adverse effects
- Hinges and top caps manufactured from hard wearing Nylon 6
- All seals are manufactured from PVC, rubber or co-extruded rubber
- Watertight 'click' hinge at door intersections for increased strength and durability

Glazing:

- PET - 3mm thick decorative, translucent high-impact performance recyclable plastic
- PET glazing has the same classification of Toughened Glass Class B

Hinge opening:

- Bi-folding doors - choice of hinge style including 360° in/out hinge, please select above as desired

Custom options:

- **Choice of height:** 750 or 900mm

Compatibility:

- Compensator included - allows for 15mm adjustment for out of square walls
- Can be retro-fitted into a wet room or onto a shower tray with a 40mm flat perimeter
- 100mm infill panel available to overcome problem pipe work - contact us if required
- Integrated corner block trimmable to fit 'cap and cove' vinyl flooring - block can be cut at 10mm to 38mm radius

Warranty:

- Lifetime manufacturer warranty

Please note:

- These shower doors are custom made and are **non-returnable**
- The maximum size these doors can be manufactured to is **Side A: 1800mm** and **Side B: 1500mm**
- Ensure accurate dimensions are taken from tile face to tile face, or to the proposed closed position of the doors
- The manufacturer does not approve the use of power showers with these shower enclosures

Additional Information

Manufacturer	AKW / Contour
Height of Enclosure (mm)	750, 900
Shape	Corner
Opening Style	Bi-folding, Includes Fixed Panel, Includes Support Pole
Glazing	PET - High-impact Plastic
Finish	White / Aluminium