



# Contour WF16 White Shower Enclosure, PET Glazing - Max. Width A 1500mm

Product Code: CONT-WF16-WHT

# **Product Images**


















# **Additional Options**

| Step 1) Please enter A - Total width of doors (Max. 1500mm) |  |
|---|--|
| Step 2) Select your screen height (mm)                      | 900  |
|   | 750  |
| Step 3) Select your handing                                 | Right Hand   |
|   | Left Hand  |
| Step 4) Select your bi-folding hinge type                   | Inwards folding click hinge - doors fold into the enclosure      |
|   | Outwards folding click hinge - doors fold out from the enclosure |
|   | 360° Hinge - doors fold both inwards and outwards                |
| Step 5) How is it being installed?                          | On a Wet Room Floor Former with vinyl safety flooring            |
|   | On a Shower Tray or Square edge floor tiles                      |
| Step 6) Select your handle / latch colour                   | Light Grey   |

# **Description**

Contour made-to-measure half height shower enclosure.

Front access bi-folding door hinging from the wall for maximum access in a confined space.

With a modern appearance and a range of features, these doors are ideal for any wet room or shower tray adaptation.

#### **Includes:**

- Complete WF16 white shower enclosure with PET glazing
- Shower curtain 2000mm drop, white, weighted
- Continuous aluminium curtain rail, powder coated in white finish

#### **Features and benefits:**

- High quality aluminium doors and frames
- High integrity door and glazing seals
- Magnetic door closing
- Rise and fall hinges lifts doors by at least 10mm when opened
- Easy grip 'D' handles
- Manufactured in the UK from components that are 100% recyclable
- Manufactured from grade 6063 aluminium and powder coated to white RAL 11910

- Doors and hinges tested to 20,000 opening and closing cycles with no adverse effects
- Hinges and top caps manufactured from hard wearing Nylon 6
- All seals are manufactured from PVC, rubber or co-extruded rubber
- Watertight 'click' hinge at door intersections for increased strength and durability

#### **Glazing:**

- PET 3mm thick decorative, translucent high-impact performance recyclable plastic
- PET glazing has the same classification of Toughened Glass Class B

## Hinge opening:

• Bi-folding doors - choice of hinge style including 360° in/out hinge, please select above as desired

## **Custom options:**

• Choice of height: 750 or 900mm

### **Compatibility:**

- Compensator included allows for 15mm adjustment for out of square walls
- Can be retro-fitted into a wet room or onto a shower tray with a 40mm flat perimeter
- 100mm infill panel available to overcome problem pipe work contact us if required
- Integrated corner block trimmable to fit 'cap and cove' vinyl flooring block can be cut at 10mm to 38mm radius

#### **Warranty:**

• Lifetime manufacturer warranty

#### Please note:

- These shower doors are custom made and are **non-returnable**
- The maximum size these doors can be manufactured to is **1500mm**
- Ensure accurate dimensions are taken from tile face to tile face, or to the proposed closed position of the doors
- The manufacturer does not approve the use of power showers with these shower enclosures

## **Additional Information**

| Manufacturer             | AKW / Contour             |
|--------------------------|---------------------------|
| Height of Enclosure (mm) | 750, 900                  |
| Shape                    | Inline (Alcove)           |
| Opening Style            | Bi-folding                |
| Glazing                  | PET - High-impact Plastic |
| Finish                   | White / Aluminium         |