




Independent 4 Life

# Contour WF27 White Shower Enclosure, PET Glazing - Width 1350-1850mm

Product Code: CONT-WF27-WHT


## Product Images


---



LEFT HAND

RIGHT HAND





## Additional Options

**Step 1) Enter A - Total width of enclosure (Min. 1350mm, Max. 1850mm)**

**Step 2) Enter total width of fixed panel A (Min. 500mm)**

**Step 3) Select your screen height (mm)** 900

750

**Step 4) Select your handing** Right Hand

Left Hand

**Step 5) How is it being installed?** On a Wet Room Floor Former with vinyl safety flooring

On a Shower Tray or Square edge floor tiles

**Step 6) Would you like to extend the White vertical pole to the ceiling?**

Yes

No

**Step 7) Select your handle colour** Light Grey

# Description

---

Contour made-to-measure half height shower enclosure.

White powder-coated aluminium framed front access sliding door with a fixed panel and vertical support pole.

With a modern appearance and a range of features, these doors are ideal for any wet room or shower tray adaptation.

## Includes:

- Complete WF27 white shower enclosure with PET glazing
- Shower curtain - 2000mm drop, white, weighted
- Continuous aluminium curtain rail, powder coated in white finish

## Features and benefits:

- High quality aluminium doors and frames
- High integrity door and glazing seals
- Magnetic door closing
- Rise and fall hinges – lifts doors by at least 10mm when opened
- Support pole - standard height 2085mm from base to top of pole / shower curtain rail
- Easy grip 'D' handles
- Manufactured in the UK from components that are 100% recyclable
- Manufactured from grade 6063 aluminium and powder coated to white RAL 11910
- Doors and hinges tested to 20,000 opening and closing cycles with no adverse effects
- Hinges and top caps manufactured from hard wearing Nylon 6
- All seals are manufactured from PVC, rubber or co-extruded rubber

## Glazing:

- PET - 3mm thick decorative, translucent high-impact performance recyclable plastic
- PET glazing has the same classification of Toughened Glass Class B

## Hinge opening:

- Sliding doors fold out of the enclosure

## Custom options:

- **Choice of height:** 750 or 900mm
- **Support pole extension to ceiling:** Select to have pole extended to 2.5m (trimmable) and supplied with a ceiling fixing shoe

## Compatibility:

- Compensator included - allows for 15mm adjustment for out of square walls
- Can be retro-fitted into a wet room or onto a shower tray with a 40mm flat perimeter
- 100mm infill panel available to overcome problem pipe work - contact us if required
- Integrated corner block trimmable to fit 'cap and cove' vinyl flooring - block can be cut at 10mm to 38mm radius

## Warranty:

- Lifetime manufacturer warranty

## Please note:

www.independent4life.co.uk | info@independent4life.co.uk | Tel: 0800 500 3001 | VAT No: 942447711  
EORI GB942447711000

- These shower doors are custom made and are **non-returnable**
- The total size of these doors must be between **1350mm to 1850mm**
- Ensure accurate dimensions are taken from tile face to tile face, or to the proposed closed position of the doors
- The manufacturer does not approve the use of power showers with these shower enclosures

## Additional Information

---

Manufacturer	AKW / Contour
Height of Enclosure (mm)	750, 900
Shape	Inline (Alcove)
Opening Style	Sliding Door, Includes Fixed Panel, Includes Support Pole
Glazing	PET - High-impact Plastic
Finish	White / Aluminium