







Independent 4 Life

# Contour WF31 White Shower Enclosure, PET Glazing - Max. A 1200 / B 1200mm

Product Code: CONT-WF31-WHT

## Product Images





360° hinge system to enables bi-fold doors to fold into or out of the shower area, ideal for small bathrooms.

Magnetic door  
closing.  
Luxe with PET  
glazing shown



Standard Click hinge  
(Inward opening door shown)



## Additional Options

---

|   |  |
|---|--|
| <b>Step 1) Please enter A - Total width of doors (Max. 1200mm)</b>              |  |
| <b>Step 2) Please enter B - Total width of fixed return panel (Max. 1200mm)</b> |  |
| <b>Step 3) Select your screen height (mm)</b>                                   | 900  |
|   | 750  |
| <b>Step 4) Select your handing</b>  | Right Hand   |
|   | Left Hand  |
| <b>Step 5) Select your bi-folding hinge type</b>                                | Inwards folding click hinge - doors fold into the enclosure      |
|   | Outwards folding click hinge - doors fold out from the enclosure |
|   | 360° Hinge - doors fold both inwards and outwards                |
| <b>Step 6) How is it being installed?</b>                                       | On a Wet Room Floor Former with vinyl safety flooring            |
|   | On a Shower Tray or Square edge floor tiles                      |
| <b>Step 7) Would you like to extend the White vertical pole to the ceiling?</b> | Yes  |
|   | No   |
| <b>Step 8) Select your handle / latch colour</b>                                | Light Grey   |

## Description

---

Contour made-to-measure half height shower enclosure.

Front access bi-folding door with a return panel. Vertical support pole/grabrail.

With a modern appearance and a range of features, these doors are ideal for any wet room or shower tray adaptation.

### Includes:

- Complete WF31 white shower enclosure with PET glazing
- Shower curtain - 2000mm drop, white, weighted
- Continuous aluminium curtain rail, powder coated in white finish

## Features and benefits:

- High quality aluminium doors and frames
- High integrity door and glazing seals
- Magnetic door closing
- Rise and fall hinges – lifts doors by at least 10mm when opened
- Support pole - standard height 2085mm from base to top of pole / shower curtain rail
- Easy grip 'D' handles
- Manufactured in the UK from components that are 100% recyclable
- Manufactured from grade 6063 aluminium and powder coated to white RAL 11910
- Doors and hinges tested to 20,000 opening and closing cycles with no adverse effects
- Hinges and top caps manufactured from hard wearing Nylon 6
- All seals are manufactured from PVC, rubber or co-extruded rubber
- Watertight 'click' hinge at door intersections for increased strength and durability

## Glazing:

- PET - 3mm thick decorative, translucent high-impact performance recyclable plastic
- PET glazing has the same classification of Toughened Glass Class B

## Hinge opening:

- Bi-folding doors - choice of hinge style including 360° in/out hinge, please select above as desired

## Custom options:

- **Choice of height:** 750 or 900mm
- **Support pole extension to ceiling:** Select to have pole extended to 2.5m (trimmable) and supplied with a ceiling fixing shoe

## Compatibility:

- Compensator included - allows for 15mm adjustment for out of square walls
- Can be retro-fitted into a wet room or onto a shower tray with a 40mm flat perimeter
- 100mm infill panel available to overcome problem pipe work - contact us if required
- Integrated corner block trimmable to fit 'cap and cove' vinyl flooring - block can be cut at 10mm to 38mm radius

## Warranty:

- Lifetime manufacturer warranty

## Please note:

- These shower doors are custom made and are **non-returnable**
- The maximum size these doors can be manufactured to is **Side A: 1200mm** and **Side B: 1200mm**
- Ensure accurate dimensions are taken from tile face to tile face, or to the proposed closed position of the doors
- The manufacturer does not approve the use of power showers with these shower enclosures

# Additional Information

---

|                          |   |
|--------------------------|---|
| Manufacturer             | AKW / Contour   |
| Height of Enclosure (mm) | 750, 900  |
| Shape                    | Corner  |
| Opening Style            | Bi-folding, Includes Fixed Panel, Includes Support Pole |
| Glazing                  | PET - High-impact Plastic                               |
| Finish                   | White / Aluminium                                       |