






Independent 4 Life

Contour WF33 White Shower Enclosure, PET Glazing - Max. A 1800 / B 1200mm

Product Code: CONT-WF33-WHT

Product Images





360° hinge system to enables bi-fold doors to fold into or out of the shower area, ideal for small bathrooms.



Standard Click hinge
(Inward opening door shown)



Magnetic door
closing.
Luxe with PET
glazing shown



Additional Options

Step 1) Please enter A - Total width of front fixed panel and both doors (Max. 1800mm)

Step 2) Please enter total width of front fixed panel A (Min. 250mm)

Step 3) Please enter B - Total width of fixed return panel (Max. 1200mm)

Step 4) Select your screen height (mm)

900

750

Step 5) Select your handing

Right Hand

Left Hand

Step 6) Select your bi-folding hinge type

Inwards folding click hinge - doors fold into the enclosure

Outwards folding click hinge - doors fold out from the enclosure

360° Hinge - doors fold both inwards and outwards

Step 7) How is it being installed?

On a Wet Room Floor Former with vinyl safety flooring

On a Shower Tray or Square edge floor tiles

Step 8) Would you like to extend the White vertical poles to the ceiling?

Yes

No

Step 9) Select your handle / latch colour

Light Grey

Description

Contour made-to-measure half height shower enclosure.

Front access bi-folding door hinging from the fixed panel. Separate return panel and two vertical support poles/grabrails.

With a modern appearance and a range of features, these doors are ideal for any wet room or shower tray adaptation.

Includes:

- Complete WF33 white shower enclosure with PET glazing
- Shower curtain - 2000mm drop, white, weighted
- Continuous aluminium curtain rail, powder coated in white finish

Features and benefits:

- High quality aluminium doors and frames
- High integrity door and glazing seals
- Magnetic door closing
- Rise and fall hinges – lifts doors by at least 10mm when opened
- Support poles - standard height 2085mm from base to top of pole / shower curtain rail
- Easy grip 'D' handles
- Manufactured in the UK from components that are 100% recyclable
- Manufactured from grade 6063 aluminium and powder coated to white RAL 11910
- Doors and hinges tested to 20,000 opening and closing cycles with no adverse effects
- Hinges and top caps manufactured from hard wearing Nylon 6
- All seals are manufactured from PVC, rubber or co-extruded rubber
- Watertight 'click' hinge at door intersections for increased strength and durability

Glazing:

- PET - 3mm thick decorative, translucent high-impact performance recyclable plastic
- PET glazing has the same classification of Toughened Glass Class B

Hinge opening:

- Bi-folding doors - choice of hinge style including 360° in/out hinge, please select above as desired

Custom options:

- **Choice of height:** 750 or 900mm
- **Support pole extensions to ceiling:** Select to have pole extended to 2.5m (trimmable) and supplied with a ceiling fixing shoes

Compatibility:

- Compensator included - allows for 15mm adjustment for out of square walls
- Can be retro-fitted into a wet room or onto a shower tray with a 40mm flat perimeter
- 100mm infill panel available to overcome problem pipe work - contact us if required
- Integrated corner block trimmable to fit 'cap and cove' vinyl flooring - block can be cut at 10mm to 38mm radius

Warranty:

- Lifetime manufacturer warranty

Please note:

- These shower doors are custom made and are **non-returnable**
- The maximum size these doors can be manufactured to is **Side A: 1800mm** and **Side B: 1200mm**
- Ensure accurate dimensions are taken from tile face to tile face, or to the proposed closed position of the doors
- The manufacturer does not approve the use of power showers with these shower enclosures

Additional Information

Manufacturer	AKW / Contour
Height of Enclosure (mm)	750, 900
Shape	Corner
Opening Style	Bi-folding, Includes Fixed Panel, Includes Support Pole
Glazing	PET - High-impact Plastic
Finish	White / Aluminium