




Independent 4 Life

# Contour WF11 Luxe Shower Enclosure, PET Glazing - Max. A 1700 / B 1000mm

Product Code: CONT-WF11-LUX


## Product Images

---



LEFT HAND

RIGHT HAND





### Additional Options

|   |   |
|---|---|
| <b>Step 1) Please input A - Total width of fixed panel and first door (Max. 1700mm)</b> |   |
| <b>Step 2) Please input width of fixed panel A (Min. 250mm)</b>                         |   |
| <b>Step 3) Please input B - Total width of second door (Max. 1000mm)</b>                |   |
| <b>Step 4) Select your screen height (mm)</b>   | 900   |
|   | 750   |
| <b>Step 5) Select your handing</b>  | Left Hand   |
|   | Right Hand  |
| <b>Step 6) How is it being installed?</b>   | On a Wet Room Floor Former with vinyl safety flooring |
|   | On a Shower Tray or Square edge floor tiles           |
| <b>Step 7) Would you like to extend the vertical pole to the ceiling?</b>               | Yes   |
|   | No  |

# Description

---

Contour made-to-measure half height shower enclosure.

Corner access bi-parting doors, with a fixed panel and vertical support pole/grabrail.

With a modern appearance and a range of features, these doors are ideal for any wet room or shower tray adaptation.

## Includes:

- Complete WF11 Luxe shower enclosure with PET glazing and light grey handles / latches
- Shower curtain - 2000mm drop, white, weighted
- Continuous aluminium curtain rail, finished in Luxe polished etch bright silver

## Features and benefits:

- High quality aluminium doors and frames
- High integrity door and glazing seals
- Magnetic door closing
- Rise and fall hinges – lifts doors by at least 10mm when opened
- Light grey easy grip 'D' handles
- Manufactured in the UK from components that are 100% recyclable
- Manufactured from grade 6063 aluminium and Luxe polished etch bright silver finish
- Doors and hinges tested to 20,000 opening and closing cycles with no adverse effects
- Hinges and top caps manufactured from hard wearing Nylon 6
- All seals are manufactured from PVC, rubber or co-extruded rubber
- Support pole - standard height 2085mm from base to top of pole / shower curtain rail

## Glazing:

- PET - 3mm thick decorative, translucent high-impact performance recyclable plastic
- PET glazing has the same classification of Toughened Glass Class B

## Hinge opening:

- Bi-parting doors - 180° hinge, fold into, and out of, the enclosure

## Custom options:

- **Choice of height:** 750 or 900mm
- **Support pole extension to ceiling:** Select to have pole extended to 2.5m (trimmable) and supplied with a ceiling fixing shoe

## Compatibility:

- Compensator included - allows for 15mm adjustment for out of square walls
- Can be retro-fitted into a wet room or onto a shower tray with a 40mm flat perimeter
- Integrated corner block trimmable to fit 'cap and cove' vinyl flooring - block can be cut at 10mm to 38mm radius

## Warranty:

- Lifetime manufacturer warranty

## Please note:

- These shower doors are custom made and are **non-returnable**

- The maximum size these doors can be manufactured to is **Side A: 1700mm** and **Side B: 1000mm**
- Ensure accurate dimensions are taken from tile face to tile face, or to the proposed closed position of the doors
- The manufacturer does not approve the use of power showers with these shower enclosures

## Additional Information

|                          |  |
|--------------------------|--|
| Manufacturer             | AKW / Contour  |
| Height of Enclosure (mm) | 750, 900   |
| Shape                    | Corner   |
| Opening Style            | Single Door, Bi-parting, Includes Fixed Panel, Includes Support Pole |
| Glazing                  | PET - High-impact Plastic  |
| Finish                   | Luxe (Etch Bright Silver) / Aluminium                                |