



Contour WF31 Luxe Shower Enclosure, PET Glazing - Max. A 1200 / B 1200mm


Product Code: CONT-WF31-LUX

Product Images













Additional Options

| Step 1) Please enter A - Total width of doors (Max. 1200mm) | |
|--|--|
| Step 2) Please enter B - Total width of fixed return panel (Max. 1200mm) | |
| Step 3) Select your screen height (mm) | 900 |
| | 750 |
| Step 4) Select your handing | Right Hand |
| | Left Hand |
| Step 5) Select your bi-folding hinge type | Inwards folding click hinge - doors fold into the enclosure |
| | Outwards folding click hinge - doors fold out from the enclosure |
| | 360° Hinge - doors fold both inwards and outwards |
| Step 6) How is it being installed? | On a Wet Room Floor Former with vinyl safety flooring |
| | On a Shower Tray or Square edge floor tiles |
| Step 7) Would you like to extend the vertical pole to the ceiling? | Yes |
| | No |

Description

Contour made-to-measure half height shower enclosure.

Front access bi-folding door with a return panel. Vertical support pole/grabrail.

With a modern appearance and a range of features, these doors are ideal for any wet room or shower tray adaptation.

Includes:

- Complete WF31 Luxe shower enclosure with PET glazing and light grey handles / latches
- Shower curtain 2000mm drop, white, weighted
- Continuous aluminium curtain rail, finished in Luxe polished etch bright silver

Features and benefits:

- High quality aluminium doors and frames
- High integrity door and glazing seals
- Magnetic door closing
- Rise and fall hinges lifts doors by at least 10mm when opened
- Light grey easy grip 'D' handles
- Manufactured in the UK from components that are 100% recyclable
- Manufactured from grade 6063 aluminium and Luxe polished etch bright silver finish
- Doors and hinges tested to 20,000 opening and closing cycles with no adverse effects
- Hinges and top caps manufactured from hard wearing Nylon 6
- All seals are manufactured from PVC, rubber or co-extruded rubber
- Watertight 'click' hinge at door intersections for increased strength and durability
- Support pole standard height 2085mm from base to top of pole / shower curtain rail

Glazing:

- PET 3mm thick decorative, translucent high-impact performance recyclable plastic
- PET glazing has the same classification of Toughened Glass Class B

Hinge opening:

• Bi-folding doors - choice of hinge style including 360° in/out hinge, please select above as desired

Custom options:

- Choice of height: 750 or 900mm
- **Support pole extension to ceiling:** Select to have pole extended to 2.5m (trimmable) and supplied with a ceiling fixing shoe

Compatibility:

- Compensator included allows for 15mm adjustment for out of square walls
- Can be retro-fitted into a wet room or onto a shower tray with a 40mm flat perimeter
- Integrated corner block trimmable to fit 'cap and cove' vinyl flooring block can be cut at 10mm to 38mm radius

Warranty:

• Lifetime manufacturer warranty

Please note:

- These shower doors are custom made and are **non-returnable**
- The maximum size these doors can be manufactured to is Side A: 1200mm and Side B: 1200mm
- Ensure accurate dimensions are taken from tile face to tile face, or to the proposed closed position of the doors
- The manufacturer does not approve the use of power showers with these shower enclosures

Additional Information

| Manufacturer | AKW / Contour |
|--------------------------|---|
| Height of Enclosure (mm) | 750, 900 |
| Shape | Corner |
| Opening Style | Bi-folding, Includes Fixed Panel, Includes Support Pole |
| Glazing | PET - High-impact Plastic |
| Finish | Luxe (Etch Bright Silver) / Aluminium |