






Independent 4 Life

# Contour WF34 Luxe Shower Enclosure, PET Glazing - Max. A 1800 / B 1200mm

Product Code: CONT-WF34-LUX

## Product Images





Note - Lower image details:  
White doors with  
PET glazing



Magnetic door  
closing.  
Luxe with PET  
glazing shown



Flip over Light Grey Latch  
"Shown with White doors / PET Glazing"

## Additional Options

---

<b>Step 1) Please enter A - Total width of front fixed panel and doors (Max. 1800mm)</b>	
<b>Step 2) Please enter total width of front fixed panel A (Min. 250mm)</b>	
<b>Step 3) Please enter B - Total width of fixed return panel (Max. 1200mm)</b>	
<b>Step 4) Select your screen height (mm)</b>	900
	750
<b>Step 5) Select your handing</b>	Right Hand
	Left Hand
<b>Step 6) How is it being installed?</b>	On a Wet Room Floor Former with vinyl safety flooring
	On a Shower Tray or Square edge floor tiles
<b>Step 7) Would you like to extend the vertical poles to the ceiling?</b>	Yes
	No

## Description

---

Contour made-to-measure half height shower enclosure.

Front access bi-parting doors hinging from the fixed panel and return side panel. Two vertical support poles/grabrails.

With a modern appearance and a range of features, these doors are ideal for any wet room or shower tray adaptation.

### Includes:

- Complete WF34 Luxe shower enclosure with PET glazing and light grey handles / latches
- Shower curtain - 2000mm drop, white, weighted
- Continuous aluminium curtain rail, finished in Luxe polished etch bright silver

### Features and benefits:

- High quality aluminium doors and frames
- High integrity door and glazing seals
- Magnetic door closing
- Rise and fall hinges – lifts doors by at least 10mm when opened
- Light grey easy grip 'D' handles
- Manufactured in the UK from components that are 100% recyclable

- Manufactured from grade 6063 aluminium and Luxe polished etch bright silver finish
- Doors and hinges tested to 20,000 opening and closing cycles with no adverse effects
- Hinges and top caps manufactured from hard wearing Nylon 6
- All seals are manufactured from PVC, rubber or co-extruded rubber
- 2 x Support poles - standard height 2085mm from base to top of pole / shower curtain rail

#### **Glazing:**

- PET - 3mm thick decorative, translucent high-impact performance recyclable plastic
- PET glazing has the same classification of Toughened Glass Class B

#### **Hinge opening:**

- Bi-parting doors - 180° hinge, fold into, and out of, the enclosure

#### **Custom options:**

- **Choice of height:** 750 or 900mm
- **2 x Support poles extension to ceiling:** Select to have the poles extended to 2.5m (trimmable) and supplied with ceiling fixing shoes

#### **Compatibility:**

- Compensator included - allows for 15mm adjustment for out of square walls
- Can be retro-fitted into a wet room or onto a shower tray with a 40mm flat perimeter
- Integrated corner block trimmable to fit 'cap and cove' vinyl flooring - block can be cut at 10mm to 38mm radius

#### **Warranty:**

- Lifetime manufacturer warranty

#### **Please note:**

- These shower doors are custom made and are **non-returnable**
- The maximum size these doors can be manufactured to is **Side A: 1800mm** and **Side B: 1200mm**
- Ensure accurate dimensions are taken from tile face to tile face, or to the proposed closed position of the doors
- The manufacturer does not approve the use of power showers with these shower enclosures

## Additional Information

---

Manufacturer	AKW / Contour
Height of Enclosure (mm)	750, 900
Shape	Corner
Opening Style	Bi-parting, Includes Fixed Panel, Includes Support Pole
Glazing	PET - High-impact Plastic
Finish	Luxe (Etch Bright Silver) / Aluminium