




Independent 4 Life

Pressalit Toilet Seat Dania, with Cover, Extra Strong Crossbar Hinge (D92) - Red

£172.26 Inc. VAT

Product Code: R37035-D92999

Product Images



D92999



Institutional hinge:
Hinge with crossbar. Fitted where extra strength and stability is required. Standard with Ergosit. Recommended for Dania and Colani. Stainless steel.



Mounting – stabilising buffer



Description

Pressalit Dania toilet seat with cover, red in colour. An ergonomically designed seat which is suitable for most people.

Sideways transfers are easier as the seat is rather flat. The toilet seat cover is comfortable to sit on and when set upright it provides good support to the back.

Key benefits:

- Flat toilet seat
- Suitable for sideways transfers, with the D92 extra strong crossbar hinge
- The D92 Extra strong stainless-steel crossbar hinge, for extra strength and stability
- Posture support with lid cover
- Comfortable design
- Stabilising buffers prevent lateral movement, especially with side transfers
- Universal fitting for a wide range of toilets, see dimension drawing and PDF installation instructions for more information
- 120 to 170mm hinge centre to centre mounting
- Max. vertical load: 250kg
- Red - NCS code: S4050-R
- Red - (RAL 3003)

Technical details:

- Hinge hole spacing c/c (mm): 120-170
- Mounting: Bottom mounted
- D92 Institutional hinge, stainless-steel, long bolt (mm): 85
- Seat outside length (mm): 405
- Seat outside width (mm): 370
- Aperture size L x W (mm): 290 x 222
- Maximum load (stone / kg): 39.3 / 250

- Weight (kg): 3.757

Materials:

- Seat and cover: Red thermoset plastic (urea)
- Strap: Stainless-steel V2A

Warranty:

- 5 year manufacturer warranty

Returns: Please note:

- Due health and hygiene and infection control this product is non-returnable

Additional Information

Manufacturer	Pressalit
Seat Length (mm)	405 - 450
Seat Width (mm)	370
Hinge Spacing (mm)	120 - 170
Seat Colour	Pressalit Red 035
Seat Configuration	Seat & Cover
Hinge Type	Extra Strong Cross Bar