





£69.35 Inc. VAT

Product Images





Additional Options

Product Code / Optional security fixings

7138417 / Purus fixings for plastic grate

£4.90

Description

The Purus Mini Oden 50 is a shower waste suitable for wet room floor formers, such as the Maxxus shower decks.

130mm in diameter, it features a 40mm horizontal outlet side connection.

Technical details:

- Flow rate 48 litres per minute
- Connection: Side, 50mm with UK adapter (40mm)
- Diameter: 197mm overall
- NOOD sprung water trap, prevents foul air escaping. The weight of the water opens the trap
- The NOOD water trap is removable for easy cleaning
- Material: Plastic (Polypropenplast)

Compatibility:

- Vinyl flooring - The clamping ring retains the vinyl flooring, see PDF installation instructions
- Tiled flooring - The clamping ring retains the Fabric or Butyl Drain Gasket that should be bonded in place as part of your tanking system, see PDF installation instructions

Options:

- Security fixing screws to prevent the removal of the grate - select if required
- Can be upgraded to a stainless-steel grate - Purus circular grates available separately
- Suitable for tiled flooring with the addition of a Purus Tile Adapter or square stainless-steel grate - available separately

Additional Information

Manufacturer	Purus
Configuration	Gravity Waste
Compatible Tray or Former	AKW - Tuff Form, AKW - Tuff Form8, AKW / Contour - ShowerDec, Maxxus
Installation	Floor Formers, Concrete / Screed Floors, Timber Floors
Application	Floor Former, Screed/Timber Floors w/ Purus Plate 130, Has Lockable Grate
Waste Diameter (mm)	200
Waste Outlet / Depth (mm)	Horizontal
Flow Rate / l/min	48
Floor Finish	Tiled Flooring, Vinyl Sheet Flooring
Grate Material / Finish	Plastic / White